

Creating Material Change



FLEXC0001/B Smart Heater Ink for Glass/PVC Applications Technical Data Sheet



Innovation underpins everything we do
www.haydale.com  HaydaleGraphene

Screen Printable Graphene Ink

Product name: FLEXC0001/B Graphene Heater Ink
Synonyms: Graphene ink, GNP ink
Chemical family: Functional graphene ink
Properties: Electrically conductive, flexible
Typical uses: Heated mirrors, automotive mirrors, plate warmers, food heaters/warmers, de-misters, food industry

Key features:

- Contain functionalised HDPlas® Graphene Nanoplatelets (GNPs)
- Designed for screen printing
- Electrically conductive
- Carbon, organic solvent-based ink (no metal)
- Curable at 120-140c
- Print onto glass, perspex, rigid PVC, plexi glass, mirror glass
- Flexible on appropriate substrate

Solids content: 41%
Viscosity: High to medium press ready. No thinning required
Stencil: HD200, HD220 emulsion 100-200mic or Cap film 100mic+
Sheet resistivity: 5 Ω/sq normalised to 50 microns (µm) two print layers
Coverage: 30m² per kg
Squeegee shore: 70 shore hardness

Handling guidelines	
Printing equipment	Screen printer; semi-automatic, manual, fully automatic
Mesh count	Meshes of 61 - 77 threads per cm
Substrates	Glass, perspex, rigid PVC, plexi glass, mirror glass
Drying conditions	Can be dried at 130°C for 3-4 minutes infrared or gas drying tunnel
Clean-up solvent	IMC00001 on press wash and mesh opener <i>Warning - do not use other screen cleaners as this may result in the ink gelling and the mesh blocking prematurely</i>
Storage	When not in use, the product should be kept sealed in its container and stored at controlled temperatures between 7-20°C <i>Warning - do not allow to freeze</i>
Shelf life	Ink in an unopened container has a recommended shelf life of 6 months from date of delivery

All values reported here are results of experiments conducted in our laboratories and are intended to illustrate the products performance. They are not intended to represent the final product specifications.

Health and Safety

These inks are intended for research and industrial use by trained personnel. It is important for workers to avoid overexposure to chemicals contained in these products. Always consult the Material Safety Data Sheet (MSDS) and product labels before using the products. Keep product container closed when not in use to prevent solvent evaporation and spilling hazard.

The content supplied in this technical data sheet ("Information") supersedes all previous versions supplied. Version 1, June 2019

The Information should be used solely as guidance for the safe handling, storage, processing and/or use of the Product and is only typical of the methods described. The Haydale Group (Haydale Group means Haydale Limited, as a subsidiary of Haydale Graphene Industries plc., and any subsidiary or holding company from time to time and any subsidiary from time to time of any holding company of Haydale Limited) gives no express or implied warranty or guarantee or representation as to the behaviour of the Product described herein during any handling or storage or processing or use of the Product. To the extent permissible by law the Haydale Group shall under no circumstances whatever be liable whether in contract, tort (including negligence), breach of statutory duty, or otherwise, for any damage, including loss of profit, or any indirect or consequential loss arising under or in connection with any handling or storage or processing or use of the Product.



Contact us: T: +44(0)1269 842946 E: info@haydale.com