


Creating Material Change



Silicon Carbide Fiber Dry Powder Safety Data Sheet



Innovation underpins everything we do
www.haydale.com  [HaydaleGraphene](https://twitter.com/HaydaleGraphene)

Silicon Carbide (SiC) Fiber Dry Powder

1. Identification of the Substance/Mixture and of the Company

1.1 Product Identifiers

Commercial product name(s): SI-TUFF™ Silicon Carbide Fiber: All Designations
SI-TUFF™ Engineered Fiber Blends: All Designations

Generic name: Silicon Carbide

REACH No.: A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration, or the registration is envisaged for a later registration deadline.

CAS No.: 409-21-2 (silicon carbide)

1.2 Relevant identified uses of the substance or mixture, and uses advised against:

Used for the manufacture of substances.

1.3 Details of the supplier of the safety data sheet

Company: Haydale Ceramic Technologies Inc.
1446 South Buncombe Road
Greer
SC 29651
USA

Telephone: +1 864 877 0123

Fax: +1 864 879 6615

E-mail address: info@haydale.com

2. Hazards Identification

2.1 Classification of the substance or mixture This product is not classified as a hazardous substance or mixture. This product does not need to be labelled as hazardous.

Classification according to Regulation (EC) No 1272/2008 [CLP]

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Classification according to Directive 67/548/EEC

This substance is not classified as dangerous according to Directive 67/548/EEC.

2.2 Label elements This product does not need to be labelled in accordance with EC directives or respective national laws.

2.3 Other hazards Silicon carbide (SiC) fiber may contain trace amounts of SiC microfibers. Silicon carbide (SiC) fibers/microfibers are a fibrous form of single-crystal silicon carbide having an aspect ratio of 3:1 or greater. SiC fibers/microfibers are non-toxic by ingestion, have no extractables, and are even approved for food contact in some situations.

CONTROLLED DOCUMENT – UNCONTROLLED WHEN PRINTED

The information contained in this document is proprietary to Haydale and its subsidiaries.

Version number: 7 | Revision date: 2018-04-02

Raw, dry SiC microfibers/ whiskers may become airborne during handling and become respirable in some conditions. When dispersed in water, solvent, polymer, or other carrier material (when wetted), SiC microfibers/whiskers are non-respirable and non-hazardous. When SiC microfibers/whiskers are incorporated into a matrix material or composite system (for example a polymer coating), they are non-respirable and nonhazardous. Under such conditions, there is no evidence to suggest that SiC microfiber or whisker ever become respirable, even when these matrix material or composite systems are subjected to mechanical wear. SiC microfibers/whiskers are not a hazardous substance according to Regulation (EC) No. 1272/2008. Most agencies list SiC microfibers/whiskers as non-hazardous even in dry powder form. However, some agencies list SiC microfibers/whiskers as potential carcinogens, based on limited experimental animal data that suggests a carcinogenic effect. Any potential carcinogenicity of SiC microfibers/whiskers is limited to chronic overexposure of dry, respirable dust. No data exists for humans. Haydale Technologies Inc. recommends handling this substance with appropriate caution according to the recommendations of this safety data sheet to ensure workplace safety.

OSHA:	Non-hazardous.
ECHA:	Non-hazardous.
NTP:	Non-hazardous.
IARC:	Class 2B, "possibly carcinogenic to humans" of dry respirable dust, although no data exists for humans. This classification is for the entire family of refractory ceramic fibers, which includes silicon carbide microfibers/whiskers.
ACGIH®:	Class A2, "suspected human carcinogen" for dry respirable dust, although no data exists for humans. Recommended exposure limits is 0.1 whiskers (microfibers)/cc 8-hour time weighted average (TWA) for microfibers/whiskers greater than 5µm in length with an aspect ratio greater than or equal to 3:1 as determined by the membrane filter method at 400 to 450 times magnification (4-mm objective) using phase-contrast illumination.

3. Composition / Information on Ingredients

3.1	Substances	
	Definition according to EC directive:	Silicon carbide fibers
	CAS No.:	409-21-2 (silicon carbide)
	EINECS No.:	206-991-8(silicon carbide)

4. First Aid Measures

4.1	Description of first aid measures	
	Inhalation:	If dust is inhaled, and if symptoms of pulmonary involvement develop (coughing, wheezing, or shortness of breath), remove immediately from the exposure area to fresh air. If symptoms persist, seek medical attention.
	Skin contact:	Not expected to present a significant skin hazard under anticipated conditions of normal use, but, if irritation or rash occurs, seek medical attention for symptomatic treatment.

CONTROLLED DOCUMENT – UNCONTROLLED WHEN PRINTED

The information contained in this document is proprietary to Haydale and its subsidiaries.
Version number: 1.2 | Revision date: 2019-08-30

Eye contact: In case of eye irritation due to contact with material, immediately rinse with copious quantities of clean water, occasionally lifting upper and lower eyelids, until no evidence of material remains (approximately 15-20 minutes). If symptoms persist, such as pain, blinking, tears, or redness, seek medical attention.

Ingestion: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

4.2 **Most important symptoms and effects, both acute and delayed**
The most important known symptoms and effects are described in section 2.3 – Other Hazards and also in SECTION 11 – TOXICOLOGICAL INFORMATION.

4.3 **Indication of any immediate medical attention and special treatment needed**
No data available.

5. Firefighting Measures

5.1 **Extinguishing media** Dry powder is not flammable. Use extinguishing measures appropriate for the source of the fire.

5.2 **Special hazards arising from the substance or mixture**
None known.

5.3 **Advice for firefighters** Wear pressure-demand, self-contained breathing apparatus and full firefighting protective clothing for firefighting if necessary.

6. Accidental Release Measures

6.1 **Personal precautions, protective equipment and emergency procedures**
Wear personal protective equipment if warranted, to prevent breathing of respirable dust. It is recommended to work in an engineered closed system where respirable dust may be exhausted. If it is not easy or possible to work in an engineered closed system, a suitable respirator should be worn.
For more information, see SECTION 8.2 – Exposure controls.

6.2 **Environmental precautions**
No special measures required.

6.3 **Methods and material for containment and cleaning up**
Wet down spillage, pick-up mechanically, and dispose of according to national, regional, and local regulations.

6.4 **Reference to other sections**
For personal protection see section 8. For disposal see section 13.

7. Handling and Storage

7.1 **Precautions for safe handling**
Avoid dust formation. Use an engineered closed system if possible during handling, and appropriate respiratory protection. Store in a sealed container.

7.2 **Conditions for safe storage, including any incompatibilities**
Store in tightly sealed containers in a clean, secure area. Identify the contents of all containers. No known incompatibilities.

7.3 **Specific end use(s)** Apart from the uses mentioned in section 1.2, no other specific uses are stipulated.

CONTROLLED DOCUMENT – UNCONTROLLED WHEN PRINTED

The information contained in this document is proprietary to Haydale and its subsidiaries.
Version number: 1.2 | Revision date: 2019-08-30

8. Exposure Controls / Personal Protection

8.1	Control parameters	No data available.
8.2	Exposure controls	
	General protection and hygiene measures:	Observe general industrial hygiene practice.
	Respiratory protection:	Use an engineered closed system if possible during handling. If it is not easy or possible to work in an engineered closed system, a suitable respirator should be worn, to prevent breathing of respirable dust. A respirator with category N95 filters should be used.
	Hand protection:	Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene, and wash hands and other exposed areas with mild soap and water before eating, drinking, smoking, using toilet facilities, or leaving work.
	Eye/face protection:	Use protective goggles to prevent contact with eyes. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).
	Environmental exposure controls:	No data available.

9. Physical and Chemical Properties

9.1	Information on basic physical and chemical properties	
	(a) Appearance:	Fiber powder. Variable color, typically gray- green.
	(b) Odor:	Odorless.
	(c) Odor threshold:	Not applicable.
	(d) pH:	Nominal 7.0.
	(e) Melting point/ freezing point:	Silicon carbide fibers will not melt in air.
	(f) Initial boiling point and boiling range:	Not applicable.
	(g) Flash point:	Not flammable by conventional test methods.
	(h) Evaporation rate:	Not applicable.
	(i) Flammability (solid, gas):	Not flammable.
	(j) Upper/lower flammability or explosive limits:	Not applicable.
	(k) Vapor pressure:	Not applicable.
	(l) Vapor density:	Not applicable.
	(m) Relative density:	3.21
	(n) Water solubility:	Insoluble in water.
	(o) Partition coefficient: n-octanol/water:	Insoluble in both water and n-octanol.
	(p) Auto-ignition temperature:	Not applicable.
	(q) Decomposition temperature:	Not applicable.
	(r) Viscosity:	No data available.
	(s) Explosive properties:	Not applicable.
	(t) Oxidizing properties:	Not applicable.

CONTROLLED DOCUMENT – UNCONTROLLED WHEN PRINTED

The information contained in this document is proprietary to Haydale and its subsidiaries.
Version number: 1.2 | Revision date: 2019-08-30

10. Stability and Reactivity

10.1	Reactivity	This material is stable. No hazardous reactions known.
10.2	Chemical stability	This material is stable. No hazardous reactions known.
10.3	Possibility of hazardous reactions	Not applicable.
10.4	Conditions to avoid	Not applicable.
10.5	Incompatible materials	Not applicable.
10.6	Hazardous decomposition products	None known.

11. Toxicological Information

11.1 Information on toxicological effects

(a) Acute toxicity	LD50 for dry silicon carbide powder is > 2.000 mg/kg
(b) Skin corrosion/irritation:	No data available.
(c) Serious eye damage/irritation:	No data available.
(d) Respiratory or skin sensitization:	No data available.
(e) Germ cell mutagenicity:	No data available.
(f) Carcinogenicity:	See SECTION 2.3 – Other hazards.
(g) Reproductive toxicity:	No data available.
(h) STOT-single exposure:	No data available.
(i) STOT-repeated exposure:	No data available.
(j) Aspiration hazard:	No data available.

Further toxicological information: Silicon carbide is not bioactive and not known to absorb into living tissues. Silicon carbide is not sensitizing and is non-toxic by oral ingestion.

12. Ecological Information

12.1	Toxicity	No data available.
12.2	Persistence and degradability	No data available.
12.3	Bio accumulative potential	No data available.
12.4	Mobility in soil	No data available.
12.5	Results of PBT and vPvB assessment	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.
12.6	Other adverse effects	No data available.

13. Disposal Considerations

13.1	Waste treatment methods	
	Product disposal:	Spillage or unused materials should be disposed in accordance with national, regional, and local solid waste regulations.

Contaminated packaging: Containers should be tightly sealed to prevent drying and subsequent airborne emissions during transportation and at the disposal site. It is recommended that containers be externally labeled to indicate that container should remain sealed.

14. Transport Information

- 14.1 **UN Number**
ADR/RID: Not dangerous goods.
IMDG: Not dangerous goods.
IATA: Not dangerous goods.
- 14.2 **UN proper shipping name**
ADR/RID: Not dangerous goods.
IMDG: Not dangerous goods.
IATA: Not dangerous goods.
- 14.3 **Transport hazard class(es)** Not dangerous goods.
- 14.4 **Packing group** Not dangerous goods.
- 14.5 **Environmental hazards** None known.
- 14.6 **Special precautions for user** No data available.

15. Regulatory Information

- 15.1 **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No data available.
- 15.2 **Chemical safety assessment**
For this product a chemical safety assessment was not carried out.

16. Other Information

This information covers the safety requirements of the product(s) exclusively and is based on current knowledge and experience. This safety information should be used for information purposes only, and does not represent a guarantee for properties of the described product(s) in terms of any legal warranty. Haydale Technologies Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

The content supplied in this safety data sheet ("Information") supersedes all previous versions supplied

The Information is designed only as guidance for the safe handling, storage, processing and/or use of the Product. The Information is correct to the best of the Haydale Group's knowledge and belief at the date of publication (Haydale Group means Haydale Limited as a subsidiary of Haydale Graphene Industries plc. and any subsidiary or holding company from time to time and any subsidiary from time to time of any holding company of Haydale Limited), however no express or implied warranty or guarantee or representation is made regarding the fitness for any particular purpose, merchantability, accuracy or completeness of the Information provided. The Information relates solely to the specific Product designated and may not be valid or applicable where the Product is handled, stored, processed or used in combination with any other materials or in any process other than those described in the Information.



Contact us: T: +1 864 877 0123 E: info@haydale.com